

## Accessories Selection Guide

### CELLFLEX® Foam Cables

Cable Type	Description	Model Number
<b>SCF14-50</b>		
	Grounding kit	EAR-14-S
	RSB-Clip (10 per kit/package, incl. clamp lining)	RSB-S14
	Combination preparation tool, Trim Series A	TRIM-14-S
	Spare blades for Trimming tool TRIM-14-S, TRIM-38-S and TRIM-12-S	TRIM-B01
<b>SCF38-50</b>		
	Grounding kit	EAR-38-S
	RSB-Clip (10 per kit/package, incl. clamp lining)	RSB-S38
	Hoisting grip lace up	HOIST2-L01
	Combination preparation tool, Trim Series A	TRIM-38-S
	Spare blades for Trimming tool TRIM-14-S, TRIM-38-S and TRIM-12-S	TRIM-B01
<b>SCF12-50</b>		
	Grounding kit	EAR-12-S
	RSB-Clip (10 per kit/package, incl. clamp lining)	RSB-S12
	Hoisting grip lace up	HOIST2-L01
	RAPID FIT Combination preparation tool	TRIM-12-S-06
	Combination preparation tool, Trim Series B	TRIM-12-SB
	Spare blades for Trimming tool TRIM-14-S, TRIM-38-S and TRIM-12-S	TRIM-B01
	Automated trimming tool	TRIM-S12-A
<b>UCF78-50</b>		
	Connector grounding kit	CEAR-78
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-78
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-78
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-78
	High speed grounding kit	HSE-78-005
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-78
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-78
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kits per package)	MBH78-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH78-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH78-6
	RSB-Clip (10 per kit/package)	RSB-78
	Rucksack option kit, size 2 (10 kits per package, without RSB-Clip)	RSB-78-R
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-78-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-78-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-78-L1R
	SCS Clamp for double run, angle bar (50 Clamps/package)	SCS-78-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-78-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-78-L2R
	SCS Clamp for triple run, angle bar (50 Clamps/package)	SCS-78-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12mm (0.5") (50 Clamps/package)	SCS-78-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-78-L3R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-78
	Hoisting Grip, Closed Lacing, one loop	HOIST1-78C
	Hoisting Grip, Lace-Up, one loop	HOIST1-78L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L04
	Manual Jacket Stripping Tool	JSTRIP-78
	Stripping tool for high speed grounding kit HSE-78	JSTRIP-78-2
	Spare blades for Trimming tool TRIM-14-L, TRIM-38-L, TRIM-12-L, TRIM-58-L and TRIM-78-L	TRIM-B03
	Automated trimming tool, Trim Series A	TRIM-L78-A
	Combination preparation tool, Trim Series A	TRIM-78-L
	Combination preparation tool, Trim Series B	TRIM-78-LB
	Combination preparation tool, Trim Series D	TRIM-78-LD
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 1-entry	BOOT4-78-1
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 2-entries	BOOT4-78-2
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 3-entries	BOOT4-78-3
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 4-entries	BOOT4-78-4
	Wall feed through (without feed through plate)	WF-78

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.

## Accessories Selection Guide

### CELLFLEX® Foam Cables

Cable Type	Description	Model Number
UCF114-50	Connector grounding kit	CEAR-114
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-114
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-114
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-114
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-114
	High speed grounding kit	HSE-114-005
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-114
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kit per package)	MBH114-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH114-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH114-6
	RSB-Clip (10 per kit/package)	RSB-114
	Rucksack cover plate kit, two-fold (10 kits per package, without RSB-Clip)	RSB-114-R2
	Rucksack cover plate, three-fold (10 kits per package, without RSB-Clip)	RSB-114-R3
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-114-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12mm (0.5") (50 Clamps/package)	SCS-114-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-114-L1R
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-114-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-114-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-114-L2R
	SCS Clamp for triple run, angle bar (50 Clamps/package)	SCS-114-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12mm (0.5") (50 Clamps/package)	SCS-114-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-114-L3R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-114
	Hoisting Grip, Closed Lacing, one loop	HOIST1-114C
	Hoisting Grip, Lace-Up, one loop	HOIST1-114L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L05
	Manual Jacket Stripping Tool	JSTRIP-114
	Stripping tool for high speed grounding kit HSE-114	JSTRIP-114-2
	Combination preparation tool, crank version	TRIM-214-C02
	Spare blades for Trimming tool TRIM-114-C06, TRIM-114-C12	TRIM-B04
	Automated trimming tool, Trim Series A	TRIM-L114-A
	Combination preparation tool, crank/drill version	TRIM-114-C12
	Feed through assemblies for 1-1/4" coaxial cable, 102 mm (4"), 1-entry	BOOT4-114-1
LCF14-50	Stripping tool for high speed grounding kit HSE-14	HSE-14-T
	Hoisting grip lace up	HOIST2-L01
	High speed grounding kit	HSE-14-005
	Combination preparation tool, Trim Series A	TRIM-14-C
	Spare blades for Trimming tool TRIM-14-L, TRIM-38-L, TRIM-12-L, TRIM-58-L and TRIM-78-L	TRIM-B03
LCF38-50	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-12
	Stripping tool for high speed grounding kit HSE-38	HSE-38-T
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-38-1C
	Hangers for angle iron 40 mm (1.575")	HCH-38-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-38-1R
	RSB-Clip (incl. clamp lining, 10 per kit/package)	RSB-38-001
	Hoisting Grip for 3/8" Coaxial Cable, Closed Lacing	HOIST1-38C
	Hoisting grip lace up	HOIST2-L01
	High speed grounding kit	HSE-38-005
	Combination preparation tool, Trim Series A	TRIM-38-L03
	Spare blades for Trimming tool TRIM-14-L, TRIM-38-L, TRIM-12-L, TRIM-58-L and TRIM-78-L	TRIM-B03
LCF12-50	Connector grounding kit	CEAR-12
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-12
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-12
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-12
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-12
	High speed grounding kit for CELLFLEX	HSE-12-005

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.

## Accessories Selection Guide

### CELLFLEX® Foam Cables

Cable Type	Description	Model Number
<b>LCF12-50 CONTINUED</b>		
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-12
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kits per package)	MBH12-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH12-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH12-6
	RSB-Clip (10 per kit/package)	RSB-12
	Rucksack option kit, size 1 (10 kits per package, without RSB-Clip)	RSB-12-R
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-12-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-12-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-12-L1R
	SCS Clamp for double run, angle bar (50 Clamps/package)	SCS-12-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-12-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-12-L2R
	SCS Clamp for triple run, angle bar (50 Clamps/package)	SCS-12-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-12-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-12-L3R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-12
	Hoisting Grip, Closed Lacing, one loop	HOIST1-12C
	Hoisting Grip, Lace-Up, one loop	HOIST1-12L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L02
	Stripping tool for high speed grounding kit HSE-12	JSTRIP-12-2
	Spare blades for Trimming tool TRIM-14-L, TRIM-38-L, TRIM-12-L, TRIM-58-L and TRIM-78-L	TRIM-B03
	Automated trimming tool, Trim Series A	TRIM-L12-A
	Combination preparation tool, Trim Series A	TRIM-12-L
	Feed through assemblies for 1/2" coaxial cable, 102 mm (4"), 1-entry	BOOT4-12-1
	Feed through assemblies for 1/2" coaxial cable, 102 mm (4"), 2-entries	BOOT4-12-2
	Feed through assemblies for 1/2" coaxial cable, 102 mm (4"), 3-entries	BOOT4-12-3
	Feed through assemblies for 1/2" coaxial cable, 102 mm (4"), 4-entries	BOOT4-12-4
<b>LCF58-50</b>		
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-58
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-58
	Stripping tool for high speed grounding kit HSE-58	HSE-58-T
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-58
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-58-1C
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-58-1R
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kits per package)	MBH58-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH58-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH58-6
	RSB-Clip (10 per kit/package)	RSB-58
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-58-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-58-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-58-L1R
	SCS Clamp for double run, angle bar (50 Clamps/package)	SCS-58-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-58-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-58-L2R
	SCS Clamp for triple run, angle bar (50 Clamps/package)	SCS-58-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-58-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-58-L3R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-58
	Hoisting Grip, Closed, single loop	HOIST1-58C
	Hoisting Grip, Lace-Up, single loop	HOIST1-58L
	Hoisting Grip, Lace-Up, double loop	HOIST2-L03
	High speed grounding kit	HSE-58
	Spare blades for Trimming tool TRIM-14-L, TRIM-38-L, TRIM-12-L, TRIM-58-L and TRIM-78-L	TRIM-B03
	Combination preparation tool, Trim Series B	TRIM-58-L
	Feed through assemblies for 5/8" coaxial cable, 102 mm (4"), 1-entry	BOOT4-58-1
	Feed through assemblies for 5/8" coaxial cable, 102 mm (4"), 3-entries	BOOT4-58-3
	Wall feed through (without feed through plate)	WF-58

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.

## Accessories Selection Guide

### CELLFLEX® Foam Cables

Cable Type	Description	Model Number
<b>LCF78-50</b>		
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 4-entries	BOOT4-78-4
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-78
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-78
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-78
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-78
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-78
	Connector grounding kit	CEAR-78
	HCA Clamp for anchor bar 18-22 mm (0.71-0.87")	HCH-78-1C
	HCA Clamp for angle iron 40 mm (1.575")	HCH-78-1L4
	Stripping tool for high speed grounding kit HSE-78	JSTRIP-78-2
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kits per package)	MBH78-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH78-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH78-6
	RSB-Clip (10 per kit/package)	RSB-78
	Rucksack option kit, size 2 (10 kits per package, without RSB-Clip)	RSB-78-R
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-78-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-78-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-78-L1R
	SCS Clamp for double run, angle bar (50 Clamps/package)	SCS-78-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-78-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-78-L2R
	SCS Clamp for triple run, angle bar (50 Clamps/package)	SCS-78-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12mm (0.5") (50 Clamps/package)	SCS-78-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-78-L3R
	HCA Clamp for flat iron 6-12 mm (0.24-0.47")	HCH-78-1R
	Hoisting Grip, Closed Lacing, one loop	HOIST1-78C
	Hoisting Grip, Lace-Up, one loop	HOIST1-78L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L04
	High speed grounding kit	HSE-78-005
	Manual Jacket Stripping Tool	JSTRIP-78
	Combination preparation tool, Trim Series D	TRIM-78-LD
	Spare blades for Trimming tool TRIM-14-L, TRIM-38-L, TRIM-12-L, TRIM-58-L and TRIM-78-L	TRIM-B03
	Automated trimming tool, Trim Series A	TRIM-L78-A
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-78
	Combination preparation tool, Trim Series A	TRIM-78-L
	Combination preparation tool, Trim Series B	TRIM-78-LB
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 1-entry	BOOT4-78-1
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 2-entries	BOOT4-78-2
	Feed through assemblies for 7/8" coaxial cable, 102 mm (4"), 3-entries	BOOT4-78-3
	Wall feed through (without feed through plate)	WF-78
<b>LCFS114-50</b>		
	Connector grounding kit	CEAR-114
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-114
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-114
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-114
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-114
	High speed grounding kit	HSE-114-005
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-114
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kit per package)	MBH114-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH114-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH114-6
	RSB-Clip (10 per kit/package)	RSB-114
	Rucksack cover plate kit, two-fold (10 kits per package, without RSB-Clip)	RSB-114-R2
	Rucksack cover plate, three-fold (10 kits per package, without RSB-Clip)	RSB-114-R3
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-114-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12mm (0.5") (50 Clamps/package)	SCS-114-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-114-L1R

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.



## Accessories Selection Guide

### CELLFLEX® Foam Cables

Cable Type	Description	Model Number
<b>LCFS114-50 CONTINUED</b>		
	SCS Clamp for single run, angle bar (50 Clamps/package)	SCS-114-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (50 Clamps/package)	SCS-114-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-114-L2R
	SCS Clamp for triple run, angle bar (50 Clamps/package)	SCS-114-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12mm (0.5") (50 Clamps/package)	SCS-114-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (50 Clamps/package)	SCS-114-L3R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-114
	Hoisting Grip, Closed Lacing, one loop	HOIST1-114C
	Hoisting Grip, Lace-Up, one loop	HOIST1-114L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L05
	Manual Jacket Stripping Tool	JSTRIP-114
	Stripping tool for high speed grounding kit HSE-114	JSTRIP-114-2
	Combination preparation tool, crank version	TRIM-214-C02
	Spare blades for Trimming tool TRIM-114-C06, TRIM-114-C12	TRIM-B04
	Automated trimming tool, Trim Series A	TRIM-L114-A
	Combination preparation tool, crank/drill version	TRIM-114-C12
	Feed through assemblies for 1-1/4" coaxial cable, 102 mm (4"), 1-entry	BOOT4-114-1
<b>LCF158-50</b>		
	Connector grounding kit	CEAR-158
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-158
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-158
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-158
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-158
	High speed grounding kit for	HSE-158-005
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-158
	HCA Clamp for anchor bar 18-22 mm (0.71-0.87")	HCH-158-1C
	HCA Clamp for angle iron 40 mm (1.575")	HCH-158-1L4
	HCA Clamp for flat iron 6-12 mm (0.24-0.47")	HCH-158-1R
	Multi-Block Hanger Kit, 1 pair-2 runs (20 kits per package)	MBH158-2
	Multi-Block Hanger Kit, 2 pair-4 runs (20 kits per package)	MBH158-4
	Multi-Block Hanger Kit, 3 pair-6 runs (20 kits per package)	MBH158-6
	RSB-Clip (10 per kit/package)	RSB-158
	Rucksack cover plate kit, two-fold (10 kits per package, without RSB-Clip)	RSB-158-R2
	Rucksack cover plate, three-fold (10 kits per package, without RSB-Clip)	RSB-158-R3
	SCS Clamp for single run, angle bar (25 Clamps/package)	SCS-158-L1L
	SCS Clamp for single run, on AC rail, flat or round bar up to 12 mm (0.5") (25 Clamps/package)	SCS-158-L1M
	SCS Clamp for single run, on flat or round bar up to 25 mm (1") (25 Clamps/package)	SCS-158-L1R
	SCS Clamp for double run, angle bar (25 Clamps/package)	SCS-158-L2L
	SCS Clamp for double run, on AC rail, flat or round bar up to 12 mm (0.5") (25 Clamps/package)	SCS-158-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (25 Clamps/package)	SCS-158-L2R
	SCS Clamp for triple run, angle bar (25 Clamps/package)	SCS-158-L3L
	SCS Clamp for triple run, on AC rail, flat or round bar up to 12 mm (0.5") (25 Clamps/package)	SCS-158-L3M
	SCS Clamp for triple run, on flat or round bar up to 25 mm (1") (25 Clamps/package)	SCS-158-L3R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-158
	Hoisting Grip, Closed Lacing, one loop	HOIST1-158C
	Hoisting Grip, Lace-Up, one loop	HOIST1-158L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L06
	Manual Jacket Stripping Tool	JSTRIP-158
	Stripping tool for high speed grounding kit HSE-158	JSTRIP-158-2
	Spare blades for Trimming tool TRIM-114-C06, TRIM-114-C12	TRIM-B04
	Automated trimming tool, Trim Series A	TRIM-L158-A
	Combination preparation tool, crank/drill version	TRIM-114-C12
	Combination preparation tool, crank version	TRIM-214-C02
	Feed through assemblies for 1-5/8" coaxial cable, 102 mm (4"), 1-entry	BOOT4-158-1
	Wall feed through (without feed through plate)	WF-158

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.

## Accessories Selection Guide

### CELLFLEX® Foam Cables

Cable Type	Description	Model Number
<b>LCF214-50</b>		
	Connector grounding kit	CEAR-214
	Grounding kit, clip-on, 610 mm (24")	GKCLIP24-214
	Grounding kit, clip-on, 1.5 m (60")	GKCLIP60-214
	Pre-formed grounding kit, 610 mm (24")	GKFORM24-214
	Pre-formed grounding kit, 1.5 m (60")	GKFORM60-214
	Hoisting Grip, Lace-Up, two loop	HOIST2-L08
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-214
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-214-1C
	Hangers for angle iron 40 mm (1.575")	HCH-214-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-214-1R
	SCS Clamp for single run, on AC rail, flat or round bar up to 12 mm (0.5") (25 Clamps/package)	SCS-214-L1M
	SCS Clamp for single run, on flat or round bar up to 25mm (1") (25 Clamps/package)	SCS-214-L1R
	SCS Clamp for double run, on AC rail, flat or round bar up to 12mm (0.5") (25 Clamps/package)	SCS-214-L2M
	SCS Clamp for double run, on flat or round bar up to 25 mm (1") (25 Clamps/package)	SCS-214-L2R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-214
	Hoisting Grip for 2-1/4" Coaxial Cable, Closed Lacing, one loop	HOIST1-214C
	Hoisting Grip for 2-1/4" Coaxial Cable, Lace-Up, one loop	HOIST1-214L
	Manual Jacket Stripping Tool	JSTRIP-214
	Combination preparation tool, crank version	TRIM-214-C02
	Feed through assemblies for 2-1/4" coaxial cable, 102 mm (4"), 1-entry	BOOT4-214-1

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.

## Accessories Selection Guide

### HELIFLEX® Air-Dielectric Cables

Cable Type	Description	Model Number
<b>HCA38-50</b>		
	Grounding Kit, Pre-formed Copper Strap	EAR-38
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-38-1C
	Hangers for angle iron 40 mm (1.575")	HCH-38-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-38-1R
	Hoisting Grip for 3/8" Coaxial Cable, Closed Lacing	HOIST1-38C
	Hoisting Grip, Lace-Up, two loop	HOIST2-L02
	Wall feed through (without feed through plate)	WF-38
<b>HCA12-50 (SEE LCF12-50 SERIES ACCESSORIES)</b>		
<b>HCA58-50</b>		
	Grounding Kit, Pre-formed Copper Strap	EAR-58
	Cable hanger, non-insulated, bolt-on, stainless steel (kit of 10)	CLAMP-58
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-58-1C
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-58-1R
	Cable clamp, snap-in, stainless steel (kit of 10)	SNAP-58
	Hoisting Grip, Closed, single loop	HOIST1-58C
	Hoisting Grip, Lace-Up, single loop	HOIST1-58L
	Hoisting Grip, Lace-Up, double loop	HOIST2-L03
	Wall feed through (without feed through plate)	WF-58
<b>HCA78-50</b>		
	Flanging die, Size A	FDIE-A78
	Grounding Kit, Pre-formed Copper Strap	EAR-78
	HCA Clamp for anchor bar 18-22 mm (0.71-0.87")	HCH-78-1C
	HCA Clamp for angle iron 40 mm (1.575")	HCH-78-1L4
	HCA Clamp for flat iron 6-12 mm (0.24-0.47")	HCH-78-1R
	RSB-Clip (10 per kit/package)	RSB-78-H
	Hoisting Grip, Closed Lacing, one loop	HOIST1-78C
	Hoisting Grip, Lace-Up, one loop	HOIST1-78L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L04
	Wall feed through (without feed through plate)	WF-78
<b>HCA118-50</b>		
	Flanging die for HCA 1-1/8" Size A	FDIE-A118
	Flanging die for HCA 1-1/8" Size B	FDIE-B118
	Basic Flanging Tool for HCA 1-1/8" - HCA 3-1/8"	FTOOL-B118318
	Grounding Kit, Pre-formed Copper Strap	EAR-118
	HCA Clamp for anchor bar 18-22 mm (0.71-0.87")	HCH-118-1C
	HCA Clamp for angle iron 40 mm (1.575")	HCH-118-1L4
	HCA Clamp for flat iron 6-12 mm (0.24-0.47")	HCH-118-1R
	RSB-Clip (10 per kit/package)	RSB-118
	Hoisting Grip, Lace-Up, two loop	HOIST2-L05
	Wall feed through (without feed through plate)	WF-118
<b>HCA158-50</b>		
	Flanging die for HCA 1-5/8" Size B	FDIE-B158
	Flanging die for HCA 1-1/8" Size B EIA (S-Line)	FDIE-B158S
	Basic Flanging Tool for HCA 1-1/8" - HCA 3-1/8"	FTOOL-B118318
	Grounding Kit, Pre-formed Copper Strap	EAR-158
	HCA Clamp for anchor bar 18-22 mm (0.71-0.87")	HCH-158-1C
	HCA Clamp for angle iron 40 mm (1.575")	HCH-158-1L4
	HCA Clamp for flat iron 6-12 mm (0.24-0.47")	HCH-158-1R
	Hoisting Grip, Closed Lacing, one loop	HOIST1-158C
	Hoisting Grip, Lace-Up, one loop	HOIST1-158L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L06
	Wall feed through (without feed through plate)	WF-158
<b>HCA214-50</b>		
	Basic Flanging Tool for HCA 1-1/8" - HCA 3-1/8"	FTOOL-B118318
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-214-1C
	Hangers for angle iron 40 mm (1.575")	HCH-214-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-214-1R
	Hoisting Grip for 2-1/4" Coaxial Cable, Closed Lacing, one loop	HOIST1-214C

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.



# Accessories Selection Guide

## HELIFLEX® Air-Dielectric Cables

Cable Type	Description	Model Number
<b>HCA214-50 CONTINUED</b>		
	Hoisting Grip for 2-1/4" Coaxial Cable, Lace-Up, one loop	HOIST1-214L
	Hoisting Grip, Lace-Up, two loop	HOIST2-L08
	Combination preparation tool, crank version	TRIM-214-C02
	Wall feed through (without feed through plate)	WF-214
<b>HCA300-50</b>		
	Basic Flanging Tool for HCA 1-1/8" - HCA 3-1/8"	FTOOL-B118318
	Grounding Kit, Pre-formed Copper Strap	EAR-300
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-300-1C
	Hangers for angle iron 40 mm (1.575")	HCH-300-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-300-1R
	Hoisting Grip, Lace-Up, two loop	HOIST2-L09
	Wall feed through (without feed through plate)	WF-300
<b>HCA318-50</b>		
	Flanging die for HCA 3-1/8" Size B EIA (S-Line)	FDIE-B318S
	Flanging die for HCA 3-1/8" Size E	FDIE-E318
	Basic Flanging Tool for HCA 1-1/8" - HCA 3-1/8"	FTOOL-B118318
	Basic Flanging Tool, Size B, for HCA Cables 3-1/8" - 6-1/8"	FTOOL-E318618
	Grounding Kit, Pre-formed Copper Strap	EAR-318
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-318-1C
	Hangers for angle iron 40 mm (1.575")	HCH-318-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-318-1R
	Hoisting Grip, Lace-Up, two loop	HOIST2-L09
	Wall feed through (without feed through plate)	WF-318
<b>HCA418-50</b>		
	Flanging die for HCA 4-1/8" Size E	FDIE-E418
	Flanging die for HCA 4-1/8" Size E EIA (S-line)	FDIE-E418S
	Basic Flanging Tool, Size B, for HCA Cables 3-1/8" - 6-1/8"	FTOOL-E318618
	Grounding Kit, Pre-formed Copper Strap	EAR-418
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-418-1C
	Hangers for angle iron 40 mm (1.575")	HCH-418-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-418-1R
	Hoisting Grip, Lace-Up, two loop	HOIST2-L11
	Wall feed through (without feed through plate)	WF-418
<b>HCA500-50</b>		
	Flanging die for HCA 5" Size E	FDIE-E500
	Flanging die for HCA 5" Size E EIA (S-line)	FDIE-E500S
	Basic Flanging Tool, Size B, for HCA Cables 3-1/8" - 6-1/8"	FTOOL-E318618
	Grounding Kit, Pre-formed Copper Strap	EAR-500
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-500-1C
	Hangers for angle iron 40 mm (1.575")	HCH-500-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-500-1R
	Hoisting Grip, Lace-Up, two loop	HOIST2-L12
	Wall feed through (without feed through plate)	WF-500
<b>HCA618-50</b>		
	Flanging die for HCA 6-1/8" Size E	FDIE-E618
	Flanging die for HCA 6-1/8" Size E EIA (S-Line)	FDIE-E618S
	Basic Flanging Tool, Size B, for HCA Cables 3-1/8" - 6-1/8"	FTOOL-E318618
	Grounding Kit, Pre-formed Copper Strap	EAR-618
	Hangers for anchor bar 18-22 mm (0.71-0.87")	HCH-618-1C
	Hangers for angle iron 40 mm (1.575")	HCH-618-1L4
	Hangers for flat iron 6-12 mm (0.24-0.47")	HCH-618-1R
	Hoisting Grip, Lace-Up, two loop	HOIST2-L13
	Wall feed through (without feed through plate)	WF-618
<b>HCA800-50</b>		
	Grounding Kit, Pre-formed Copper Strap	EAR-800
	Hoisting Grip, Lace-Up, two loop	HOIST2-L14

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.



## Accessories Selection Guide

### CELLFLEX® Foam Cables & HELIFLEX® Air-Dielectric Cables

Type	Description	Model Number
<b>COLD SHRINK KIT</b>		
	Cold shrink tube, 1/2" – 1/2", 1/2" – 5/8", 5/8" – 5/8"	COLD-020
	Cold shrink tube, 1/2" – 7/8", 5/8" – 7/8"	COLD-021
	Cold shrink tube, 1/2" – 1-1/4", 1/2" – 1-5/8", 5/8 – 1-1/4", 5/8 – 1-5/8"	COLD-022
	Cold shrink tube, 7/8" – 7/8"	COLD-023
	Cold shrink tube, 7/8 – 1-1/4", 7/8 – 1-5/8"	COLD-024
	Cold shrink tube, 1-1/4" – 1-1/4", 1-1/4 – 1-5/8", 1-5/8 – 1-5/8"	COLD-025
	Cold shrink tube, 1/2" to 1-1/4", 1/2" to 1-5/8", 1/2" to 1-5/8", 1/2" to 2 1/4"	COLD-026
	Diameter line extension	COLD-035
<b>GROUNDING KIT</b>		
	Grounding terminal for AC-profile	CEAR-AC
<b>HANGER</b>		
	Universal installation cleat including screw M8	MKD-001
	Universal installation cleat (10 per kit/package)	MKD-10
	RSB Cleat (10 per kit/package)	RSB-310
	RSB clamping plate for anchor bar (10 per kit/package)	RSB-315
<b>INSTALLATION HARDWARE</b>		
	AC-profile, 200 mm, holes	AC7-020H
	Angle Member Adapter Kit 3/8" (SS) (Kit of 10)	ANGLE-CLPI
	Angle Member Adapter Kit M8 (SS) (Kit of 10)	ANGLE-CLPM8
	Universal angle adapter, Snap-in or 3/8" (kit of 10)	ANGLE-UI
	Ceiling adapter, 305 mm (12") (kit of 5), 3/8"	CEIL12-5I
	Ceiling adapter, 610 mm (24") (kit of 5), 3/8"	CEIL24-5I
	Tower Stand-off Kit 1-2" Diameter, 3/8" Hardware	KRTS2-A
	Tower Stand-off Kit 2-3" Diameter, 3/8" Hardware	KRTS2-B
	Tower Stand-off Kit 3-4" Diameter, 3/8" Hardware	KRTS2-C
	Tower Stand-off Kit 4-5" Diameter, 3/8" Hardware	KRTS2-D
	Tower Stand-off Kit 5-6" Diameter, 3/8" Hardware	KRTS2-E
	Round member adapter, 80 mm – 100 mm	RMA-100
	Round member adapter, 10 mm – 120 mm	RMA-120
	Round member adapter, 120 mm – 140 mm	RMA-140
	Round member adapter, 140 mm – 160 mm	RMA-160
	Round member adapter, 25 mm – 40 mm	RMA-40
	Round member adapter, 40 mm – 60 mm	RMA-60
	Round member adapter, 60 mm – 80 mm	RMA-80
	Round member adapter, 1" – 2"	RMA-AI
	Round member adapter, 2" – 3"	RMA-BI
	Round member adapter, 3" – 4"	RMA-CI
	Round member adapter, 4" – 5"	RMA-DI
	Round member adapter, 5" – 6"	RMA-EI
	Round member adapter, 6" – 7"	RMA-FI
	Stainless steel strapping kit	STRAP-1
	Stainless steel strapping kit, tube mounting	STRAP-2
	Threaded rod kit, 3/8", 3" (kit of 10)	TROD38-03I
	Threaded rod kit, 3/8", 6" (kit of 10)	TROD38-06I
	Threaded rod kit, 3/8", 12" (kit of 10)	TROD38-12I
	Weather proofing kit, (with Butyl Rubber)	WPFG-1
<b>SEALING COMPOUND</b>		
	Tube of Plast 2000, 20 ccm	P2000-001
	Tube of Plast 2000, 70 ccm	P2000-002
<b>TOOL</b>		
	Injection tool for Plast 2000	P2000-003
<b>WALL/ROOF FEED-THROUGH SYSTEM</b>		
	Feed through entry panel, 102 mm (4"), 1 hole, 1x1	FTP4-1X1
	Feed through entry panel, 102 mm (4"), 2 holes, 1x2	FTP4-1X2
	Feed through entry panel, 102 mm (4"), 3 holes, 1x3	FTP4-1X3
	Feed through entry panel, 102 mm (4"), 4 holes, 1x4	FTP4-1X4
	Feed through entry panel, 102 mm (4"), 4 holes, 2x2	FTP4-2X2
	Feed through entry panel, 102 mm (4"), 6 holes, 2x3	FTP4-2X3
	Feed through entry panel, 102 mm (4"), 8 holes, 2x4	FTP4-2X4
	Feed through entry panel, 102 mm (4"), 10 holes, 2x5	FTP4-2X5
	Feed through entry panel, 102 mm (4"), 12 holes, 2x6	FTP4-2X6
	Feed through entry panel, 102 mm (4"), 9 holes, 3x3	FTP4-3X3
	Feed through entry panel, 102 mm (4"), 12 holes, 3x4	FTP4-3X4
	Port cover for 102 mm (4") entry panel	FTP4-PC

See [www.rfsworld.com](http://www.rfsworld.com) for additional accessories.